
Flush Strain Relief Boots for XL Cable



Flush Strain Relief Boots for Extra Large Cable (PS3*?)
Patented solution enables low profile cable assemblies (eg of Cat 6A) even with large OD cables

Features

- Designed in combination with plug PGScbXL – locks on for a flush and secure finish.
- Compact, durable construction.
- Supplied in both black and transparent versions
- Available in variations for both 7.5mm and 8.5mm cable.
- Hood extends to cover plug latch to prevent snagging on other cables.



Specifications

- Weight: 0.5g
- Material: Polycarbonate.
- Dimensions (W x H x D): 11.6 x 17 x 22.6mm

Packaging: Packaged in poly bags of 100 pieces.


Commodity code: 85176990


Code	Colour	Cable Size	EAN Number
PS3bk7.5	Black	7.5mm	5055386509727
PS3bk8.5	Black	8.5mm	5055386509734
PS3CLR7.5	Transparent	7.5mm	5055386509741
PS3CLR8.5	Transparent	8.5mm	5055386509758


ROHS Compliant


Code: PS3*?


* = bk or CLR
? =7.5 or 8.5


















⌀A=⌀8.50±0.10mm
⌀A=⌀7.50±0.10mm



TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London, SW17 0BA

12/01/2022

Tel: 020 8946 6688 Fax: 020 8879 7410 Email: sales@tuk.co.uk Website: www.tuk.co.uk

Combined Plug and Boot for XXL Cable



Illustrative Image

Combined Plug and Boot for XXL Cable (PGScb7.5XCLR#20, PGScb8.5CLR#20)
High-performance shielded plug and boot combination designed for extra-large outer diameter cable for Category 6 and 6A. The patented design allows for the plug and boot to have an extremely low profile and a secure fit.

Features

- Plug and boot designed uses patented technology in order for the boot and plug to fit securely together.
- Designed for Category 6 and 6A performance.
- Suitable for extra-large cable (eg Cat 6A and Cat 7) up to 8.5mm OD and cores up to 1.45mm OD.
- 3 prong contacts for solid and stranded cable.
- 2-part, shielded plug compliant with standards of POE.
- High-quality, durable boot made of transparent polycarbonate (also available in black - PS3bk7.5 and PS3bk8.5)
- See PGScbXL (plug) and PS3CLR (boot) for separate items.


Specifications

- Weight: 2.5g
- Dimensions (L x W x H): 30 x 11.7 x 17mm (approx.)
- Colour: Transparent boot with metal, shielded plug.
- Material:
    - Boot: Polycarbonate
    - Plug:
        - Contacts: 50µ”/1.27µm gold plated Phosphor Bronze.
        - Housing: Polycarbonate UL94V-0.
        - Shielding: Nickle-plated brass.

Packaging: Packaged in poly bags of 20 complete sets.

EAN Numbers:
PGScb7.5CLR: 5055386509772
PGScb8.5CLR: 5055386509789

Commodity code: 85444920



Illustrative photo of latch mechanism which ensures secure and flush fit.

19/01/22

TUK Ltd, Unit 4, Wimbledon Stadium Business Centre, Riverside Road, London SW17 0BA

Tel: 020 8946 6688 Fax: 020 8879 7410 E-mail: sales@tuk.co.uk Website: www.tuk.co.uk