

7x 50 W RGBWA-UV Spot

EAN: 8717748620712



The Cameleon Zoom Spot 7Q6 Tour is an LED Spot with seven 50-watt RGBWA-UV LEDs. It has a motorised zoom range from 6° to 45° and features 0-100 % dimmer control and 0-20 Hz strobe effects. With preprogrammed colours, built-in colour macros and 4 selectable dimming curves, it's easy to use. Adjustable PWM frequencies allow flicker-free filming too. The fixture can be controlled with DMX (incl. RDM) or operated in Auto or Master/Slave modes. Manual control is also possible using the OLED display and touch buttons. The fixture, the 3-pin XLR and the Seetronic Power Pro True connectors are all IP65 rated, making the Cameleon Zoom Spot 7Q6 Tour suitable for outdoor use too.

Special features:

- 7x 50 W RGBWA-UV LED Spot
- IP65 rated
- Motorised zoom range 6°-45°
- Dimmer and strobe function
- DMX/RDM, Manual, Auto and Master/Slave control

Specifications:

Source

Light Source Type	LED
Light Source Quantity	7
Light Source Power	50 W
LED Colour Type	RGBWAUV
Luminous Flux (Total)	3285 lm

Optical

Zoom Type	Motorised
Zoom Minimum	6°
Zoom Maximum	34°

Control and Programming

Control Mode	Auto / DMX / Manual / Master Slave
DMX Channels	7 / 10 / 13 / 15 / 21
Protocols	DMX / RDM
Display	OLED

Dynamic Effects

Dimmer	0-100 %
Strobe	0-20 Hz

Electrical Specifications and Connections

Power Supply	100-240 V AC 50/60 Hz
Power Consumption	220 W
Power Connector In	Power Pro True
Power Connector Out	Power Pro True
DMX Connector	XLR 3P In/Out
DMX Connector In	XLR 3P
DMX Connector Out	XLR 3P

Mechanical Specifications

Length (mm)	252 mm
Width (mm)	184 mm
Height (mm)	264 mm
Weight	8.4 kg
IP Rating	IP65
Housing	Aluminium die-cast
Colour	Black

Thermal Specifications

Maximum Ambient Temperature	40°C
Minimum Operating Temperature	-5°C

Product Properties

Cooling	Convection
---------	------------

Included Items

Included Cables	Power Pro True Cable
-----------------	----------------------

Included Rigging

Quick-Lock Bracket