

41266

## Showtec Pixel Bar 8 COB

*Indoor RGB light bar*



EAN: 8717748317285



The Pixel Bar 8 COB is a very powerful batten which uses the latest technology COB RGB LEDs. Because of this new technology it is possible to achieve a very high light output with a wide beamangle, without getting a lot of uncomfortable glare. The advanced menu makes it possible to control the batten in different modes such as DMX, stand alone, music.

### Special features:

- 3-in-1 COB LED Technology
- Power and data daisy chain
- Multiple DMX modes for total pixel control
- Large Beam Angle

## Specifications:

---

### Source

|                       |         |
|-----------------------|---------|
| Light Source Type     | LED     |
| Light Source Quantity | 8       |
| Light Source Power    | 15 W    |
| LED Colour Type       | RGB     |
| Refresh Rate          | 7800 Hz |
| Luminous Flux (Total) | 1050 lm |

### Optical

|                         |     |
|-------------------------|-----|
| Beam Angle (Horizontal) | 60° |
| Beam Angle (Vertical)   | 60° |

### Control and Programming

|              |  |
|--------------|--|
| Control Mode | Auto / Built-in Program / DMX / Master Slave / Sound |
| DMX Channels | 2 / 3 / 5 / 6 / 12 / 24                              |
| Protocols    | DMX  |
| Display      | 7-segment  |

### Dynamic Effects

|        |         |
|--------|---------|
| Dimmer | 0-100 % |
| Strobe | 0-20 Hz |

### Electrical Specifications and Connections

|                     |                       |
|---------------------|-----------------------|
| Power Supply        | 100-240 V AC 50/60 Hz |
| Power Consumption   | 120 W                 |
| Power Connector In  | IEC                   |
| Power Connector Out | IEC                   |
| DMX Connector       | XLR 3P In/Out         |
| DMX Connector In    | XLR 3P                |
| DMX Connector Out   | XLR 3P                |

### Mechanical Specifications

|             |                        |
|-------------|------------------------|
| Length (mm) | 735 mm                 |
| Width (mm)  | 110 mm                 |
| Height (mm) | 85 mm                  |
| Weight      | 3.9 kg                 |
| IP Rating   | IP20 (indoor use only) |
| Housing     | Metal                  |
| Colour      | Black                  |

### Product Properties

|         |           |
|---------|-----------|
| Cooling | Axial fan |
|---------|-----------|

### Rigging

|                  |                 |
|------------------|-----------------|
| Mounting Options | Bracket / Stand |
|------------------|-----------------|

### Thermal Specifications

|                               |      |
|-------------------------------|------|
| Maximum Ambient Temperature   | 40°C |
| Minimum Operating Temperature | -5°C |

**Included Items**

Included Cables  
Included Rigging

IEC cable  
Bracket