

41305

Showtec Pulse Pixel Bar 16 Q4



Indoor RGBW light bar

EAN: 8717748449412



The Pulse Pixel bar is a luminaire fixture with individual 16x RGBW 4-in-1 Prolight Opto LEDs with a 20° beam angle and new, advanced optics. It is a compact wash fixture with a unique and distinctive design to illuminate large surfaces like curtains and walls. Features include full pixel control and selectable auto programs via the specially designed 4-button interface with OLED display. The bar is equipped with DMX (3-pin XLR) and Power Pro in- and output connectors. This batten fixture has an innovative bracket for easy floor placing and multiple rigging options.

Special features:

- RGBW Prolight Opto LEDs
- Individual Pixel Control
- Versatile rigging possibilities
- Power and data daisy chain

Specifications:

Source

Light Source Type	LED
Light Source Quantity	16
Light Source Power	5 W
LED Colour Type	RGBW
Refresh Rate	2000 Hz
Illuminance @ 2 m	2405 lx
Luminous Flux (Total)	2405 lm

Optical

Beam Angle (Horizontal)	20°
Beam Angle (Vertical)	20°

Control and Programming

Control Mode	Built-in Program / DMX / Master Slave / Stand Alone
DMX Channels	4 / 6 / 10 / 64
Protocols	DMX
Display	OLED

Dynamic Effects

Dimmer	0-100 %
Strobe	0-20 Hz

Electrical Specifications and Connections

Power Supply	100-240 V AC 50/60 Hz
Power Consumption	58 W
Power Connector In	Power Pro Blue
Power Connector Out	Power Pro Grey
DMX Connector	XLR 3P In/Out
DMX Connector In	XLR 3P
DMX Connector Out	XLR 3P

Mechanical Specifications

Length (mm)	960 mm
Width (mm)	130 mm
Height (mm)	185 mm
Weight	4.8 kg
IP Rating	IP20 (indoor use only)
Housing	Aluminium
Colour	Black

Product Properties

Cooling	Convection
---------	------------

Rigging

Mounting Options	Bracket / Clamp / Floor / Wall
Safety Attachment	Yes

Thermal Specifications

Maximum Ambient Temperature	40°C
Minimum Operating Temperature	0°C

Included Items

Included Cables	powerCON cable
Included Rigging	Bracket