


30777

Showtec Stage Blinder 200 Blaze

*200 W LED blinder with tungsten
and RGB blaze effect*

EAN: 8717748603340



The Showtec Stage Blinder 200 Blaze is a powerful 200-watt LED blinder that uses a warm white COB LED of 3000 K with a CRI of >92. It has uniquely integrated amber LEDs for mimicking a tungsten dim effect and RGB LEDs for a blaze effect. It can be controlled via DMX/RDM, but also has manual, master/slave and auto modes. The OLED display provides useful feedback on the settings. It has silent convection cooling, making it suitable for noise-sensitive environments. The robust aluminium housing is IP65-rated and comes with a mounting bracket.

Special features:

- Warm white (3000 K) 200 W COB LED with CRI>92
- Integrated amber LEDs for tungsten dimming effect
- Built-in RGB LEDs for blaze effects
- IP65-rated aluminium enclosure
- DMX/RDM, manual, master/slave and auto control modes

Specifications:

Source

Light Source Type	LED
Light Source Quantity	2
Light Source Power	200 W
LED Colour Type	A / WW / RGB
Luminous Flux (White)	7809 lm
Luminous Flux (Amber)	368 lm
CRI	92
CCT	3000 K

Optical

Beam Angle (Horizontal)	45°
Beam Angle (Vertical)	45°

Control and Programming

Control Mode	Auto / DMX / Manual / Master Slave / RDM
DMX Channels	1 / 4 / 5
Protocols	DMX / RDM
Display	OLED

Dynamic Effects

Dimmer	0-100 %
Strobe	0-20 Hz

Electrical Specifications and Connections

Power Supply	100-240 V AC 50/60 Hz
Power Consumption	200 W
Power Connector In	Power Pro True
Power Connector Out	Power Pro True
DMX Connector	XLR 5P In/Out
DMX Connector In	XLR 5P
DMX Connector Out	XLR 5P

Mechanical Specifications

Length (mm)	200 mm
Width (mm)	266 mm
Height (mm)	355 mm
Weight	7 kg
IP Rating	IP65
Material	Aluminium
Housing	Aluminium die-cast
Colour	Black

Product Properties

Cooling	Forced Convection
---------	-------------------

Rigging

Mounting Options	Clamp / Quick-Lock
------------------	--------------------

Thermal Specifications

Maximum Ambient Temperature	40°C
Minimum Operating Temperature	-5°C

Included Items

Included Cables	Power Pro Cable
Included Rigging	Quick-Lock Bracket